

CHEMICALS FOR BLACK-AND-WHITE PAPERS

KODAK PROFESSIONAL Chemicals	Typical Dilution (stock or concentrate: water)	Solution Temperature/ Time Range	Packaged Powder	Packaged Liquid Concentrate	For Use In	Keeping Properties Without Use		Useful Capacity 8 x 10 Sheets per Gal/L in a Tray
						Stock or Concentrate Solution in Closed Container (Full)	Working Solution in Tray/Tank	
Developers - Tray								
DEKTOL Developer	1:2	68°F (20°C) 3/4 to 3 minutes for RC papers; 3/4 to 4 minutes for fiber- base papers	●		tray	NA/6 months	1 working day/—	120/32
POLYMAX T Developer	1:9		●		tray	Indefinite	1 working day/—	120/32
EKTAFLO Developer, Type 2	1:9		●		tray	Indefinite	1 working day/—	100/26
SELECTOL-SOFT Developer	1:1		●		tray	NA/4 months	1 working day/—	80/21
Developers - Machine								
POLYMAX RT Developer and Replenisher	1:4	70 to 100°F (21 to 38°C) time depends on paper and processor		●	continuous or roller transport processors	Indefinite*	—	—
Stop Baths								
Indicator Stop Bath	1:63	65 to 75°F (18 to 24°C); 10 seconds for RC papers; 15 seconds for fiber-base papers		●	tray	Indefinite	3 days/1 month	discard when color changes to purplish blue
EKTAFLO Stop Bath	1:31		●		tray	Indefinite	3 days/1 month	discard when color changes to purplish blue
Fixers - Tray								
Rapid Fixer	1:7	65 to 75°F (18 to 24°C) 2 minutes for RC papers; 5 to 10 minutes for fiber- base papers (single bath)		●	tray	Indefinite	1 week/1 month	100/26
Fixer	working strength see instructions		●		tray	2 months	1 week/1 month	100/26
KODAFIX Solution	1:7		●		tray	Indefinite	1 week/1 month	100/26
Fixers - Machine								
POLYMAX RT Fixer and Replenisher	1:3	70 to 100°F (21 to 38°C) time depends on paper and processor		●	continuous or roller-transport processors	Indefinite*	NA/1 month	—
Rapid Fixer	film strength		●		tray, machine	NA/2 months	1 week/1 month	—
Washing Aid								
Hypo Clearing Agent	1:4	50 to 86°F (10 to 30°C); 2 to 3 minutes for fiber- based papers (2 min. SW, 3 min. DW and PW)†	●		tray, machine	NA/3 months	24 hours/1 month	80/21 without pre-rinse, 200/50 with pre-rinse

* Concentrate in original sealed package.

† Consult paper recommendations for wash with KODAK Hypo Clearing Agent.

Kodak Professional

MORE INFORMATION

KODAK PROFESSIONAL Chemical	Description
DEVELOPERS	
DEKTOL Developer	<ul style="list-style-type: none"> • Kodak's standard developer for tray processing • Produces neutral or cold tones with cold-tone papers and warm tones with warm-tone papers • Offers high capacity and uniform development rate • Also for use with some films • Supplied in powder form that dilutes 1 part concentrate with 2 parts water
POLYMAX T Developer	<ul style="list-style-type: none"> • Produces neutral or cold tones with cold-tone papers • Medium contrast, high capacity, fast acting • Supplied as an easy-to-use liquid that dilutes 1 part concentrate with 9 parts water • Designed for tray processing
EKTAFLO Developer, Type 2	<ul style="list-style-type: none"> • Produces warm tones with warm-tone papers • Supplied as a concentrated liquid that dilutes 1 part concentrate with 9 parts water • Designed for tray processing
SELECTOL-SOFT Developer	<ul style="list-style-type: none"> • Provides softer, lower contrast and increased shadow detail • Designed for tray processing • Supplied in powder form that dilutes 1 part concentrate to 1 part water
POLYMAX RT Developer and Replenisher	<ul style="list-style-type: none"> • No developer starter required • Compatible with fiber-base and resin-coated papers • Use as a tank solution and as a replenisher • Liquid concentrate for machine processing

KODAK PROFESSIONAL Chemical	Description
STOP BATHS	
Indicator Stop Bath	<ul style="list-style-type: none"> • Non-hardening, general-purpose stop bath for use with films and papers • Contains an indicator to signal exhaustion • Dilute 1 part concentrate with 63 parts water for use • Liquid concentrate
EKTAFLO Stop Bath	<ul style="list-style-type: none"> • A liquid concentrate with built-in color indicator to signal exhaustion • Dilute 1 part concentrate with 31 parts water • Also for use with film
FIXERS	
Rapid Fixer	<ul style="list-style-type: none"> • A fast-acting hardening fixer • For machine or tray processing • Consists of two liquid concentrates: Solution A (the fixer concentrate) and Solution B (the hardener concentrate) • Can be used with paper or film
Fixer	<ul style="list-style-type: none"> • A general-purpose hardening fixer for films and papers • Available in powder form • Mixes to working strength
KODAFIX Solution	<ul style="list-style-type: none"> • General-purpose, single-solution hardening fixer for films and papers • Long life, high capacity • Dilute 1 part concentrate with 7 parts water for use with paper; 1 part concentrate with 3 parts water for use with film • Supplied as a liquid concentrate
POLYMAX RT Fixer and Replenisher	<ul style="list-style-type: none"> • Liquid non-hardening fixer for processing resin-coated papers in continuous or roller-transport processors • Dilutes 1 part concentrate with 3 parts water for use

KODAK PROFESSIONAL Chemical	Description
WASHING AID	
Hypo Clearing Agent	<ul style="list-style-type: none"> • Promotes removal of fixer from films and fiber-base papers to shorten wash times and make washing at lower wash-water temperatures practical • Dilute 1 part stock solution with 4 parts water for use • Available as a powder

Note: To obtain consistent results from Kodak powdered chemicals, mix the full volume marked on the package. Kodak supplies powdered photographic chemicals in a variety of sizes that make it easy to choose the volume you need. therefore, we do not recommend mixing smaller-than-package-size amounts of powdered KODAK Processing Chemicals.

For the latest version of technical support publications for KODAK PROFESSIONAL Products, visit Kodak on-line at:

<http://www.kodak.com/go/professional>

If you have questions about KODAK PROFESSIONAL Products, call Kodak.

In the U.S.A.:
1-800-242-2424, Ext. 19, Monday–Friday
9 a.m.–7 p.m. (Eastern time)

In Canada:
1-800-465-6325, Monday–Friday
8 a.m.–5 p.m. (Eastern time)



EASTMAN KODAK COMPANY

Chemicals Black-and-White Papers
KODAK Publication No. **E103CP**
CAT 895 4737

Kodak Professional

Kodak, Azo, Dektol, Ektaflo, Kodabrome, Kodafix,
P-Max, Panalure Select, Polycontrast,
Polymax, and Selectol-Soft are trademarks.

Revised 5/06

© Eastman Kodak Company, 2006