2 CHEMICALS AND CHEMICAL MIXING

INTRODUCTION

To help you understand the terms we've used to describe the chemicals and solutions in this manual, here are some definitions:

Chemical Concentrates:

Chemicals that must be diluted to make replenisher or tank processing solutions, or chemicals that are added to other solutions.

Fresh Solution

Newly mixed, unused solutions prepared from chemical concentrates.

Replenisher

Solution used to restore the chemical components of the tank solution to maintain photographic performance over time.

Seasoned Solution

A tank solution that has been used and replenished for a period of time. The chemical components and seasoning byproducts are at an optimum level for processing.

• Starter

Concentrate added to a replenisher solution to prepare a fresh tank solution so it yields results similar to those provided by a seasoned tank solution.

· Tank Solution

The solution used in the processor tank; often referred to as "working solution."

KODAK PROFESSIONAL CHEMICALS, PROCESS E-6

Sizes

These chemicals are available in sizes to meet the needs of all types of processing operations. When selecting chemicals, choose sizes that are economical for your setup and appropriate for your chemical-keeping conditions.

Chemicals for Small-Volume Processing

The following sizes are appropriate for use with small tanks, sink lines, and rotary-tube processors. For larger volumes, use the 5- or 25-gallon sizes of these chemicals.

Prepare the solutions according to the instructions packaged with the chemicals.

| Product | To Make | CAT No.* |
|------------------------------------------------------------------|-----------|----------|
| KODAK PROFESSIONAL Single-Use Chemistry Kit, Process E-6 | 5 litres | 107 7643 |
| KODAK PROFESSIONAL First Developer, Process E-6† | 1 gallon | 156 4632 |
| KODAK PROFESSIONAL Reversal Bath, Process E-6 | 1 gallon | 156 6850 |
| KODAK PROFESSIONAL Color Developer, Process E-6‡ | 1 gallon | 116 2510 |
| KODAK PROFESSIONAL Pre-Bleach, Process E-6 | 1 gallon | 164 6058 |
| KODAK PROFESSIONAL Bleach, Process E-6 | 1 gallon | 156 2461 |
| KODAK PROFESSIONAL Fixer, Process E-6 | 1 gallon | 156 6082 |
| KODAK PROFESSIONAL Final Rinse, Process E-6 | 1 gallon | 195 1128 |
| KODAK PROFESSIONAL First Developer Replenisher, Process E-6 | 10 litres | 831 3611 |
| KODAK PROFESSIONAL Reversal Bath and Replenisher, Process E-6 | 10 litres | 112 3611 |
| KODAK PROFESSIONAL Color Developer Replenisher, Process E-6 | 10 litres | 182 7872 |
| KODAK PROFESSIONAL Pre-Bleach and Replenisher, Process E-6 | 10 litres | 128 6228 |
| KODAK PROFESSIONAL Bleach Replenisher, Process E-6 | 10 litres | 819 2395 |
| KODAK PROFESSIONAL Fixer and Replenisher, Process E-6 | 10 litres | 154 5466 |
| KODAK PROFESSIONAL Final Rinse and Replenisher, Process E-6 | 10 litres | 814 0279 |

^{*} Catalog numbers listed are for sizes available in the U.S. and Canada. Other regions may supply these chemicals in different sizes. For more information, contact Kodak in your country.

[†] Use as mixed; no starter is required.

[‡] Use as mixed; no starter is required.

Chemicals for Cost-Saving Replenishment: Small- and Medium-Volume Processing

If you process a large amount of film in a replenished sink-line process, these may be the best sizes for you to use. They are also appropriate for large rotary-tube processors or larger automatic processors that have low utilization. For larger volumes, use the 25-gallon or larger size of chemicals. Prepare the solutions according to the instructions packaged with the chemicals. To prepare first- and color-developer and bleach tank solutions, mix the replenisher with starter according to the instructions.

| Product | To Make | CAT No.* |
|------------------------------------------------------------------------------------------|------------|----------|
| KODAK PROFESSIONAL First Developer Replenisher, Process E-6 | 5 gallons | 100 7608 |
| KODAK PROFESSIONAL First Developer Starter, Process E-6 (1-pint concentrate) | 6 gallons | 167 1577 |
| KODAK PROFESSIONAL Reversal Bath and Replenisher, Process E-6 | 5 gallons | 113 1580 |
| KODAK PROFESSIONAL Color Developer Replenisher, Process E-6 | 5 gallons | 837 2542 |
| KODAK PROFESSIONAL Color Developer Starter II, Process E-6 (1-pint concentrate) | 25 gallons | 185 8158 |
| KODAK PROFESSIONAL Pre-Bleach and Replenisher, Process E-6 | 5 gallons | 802 6569 |
| KODAK PROFESSIONAL Bleach Replenisher, Process E-6AR | 5 gallons | 196 5623 |
| KODAK PROFESSIONAL Bleach Starter, Process E-6 (½-gallon concentrate) | 25 gallons | 177 9792 |
| KODAK PROFESSIONAL Fixer and Replenisher, Process E-6 | 5 gallons | 127 8019 |
| KODAK PROFESSIONAL Final Rinse and Replenisher, Process E-6 | 5 gallons | 890 9590 |
| KODAK PROFESSIONAL Defoamer, Process E-6 (4-ounce bottle) | _ | 125 3566 |

^{*} Catalog numbers listed are for sizes available in the U.S. and Canada. Other regions may supply these chemicals in different sizes. For more information, contact Kodak in your country.

Chemicals for Large-Volume Automatic Processors and Processors with In-Line Dilution/ Blender Systems

The following sizes are appropriate for rack-and-tank, continuous, and roller-transport processors. Prepare the solutions according to the instructions packaged with the chemicals. To prepare first- and color-developer and bleach tank solutions, mix the replenisher with starter according to the instructions.

| Product | To Make | CAT No.∗ |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|----------------------|
| KODAK PROFESSIONAL First Developer Replenisher, Process E-6AR _† | 25 gallons | 800 8401 |
| KODAK PROFESSIONAL First Developer Starter, Process E-6 (1-pint concentrate) | 6 gallons | 167 1577 |
| KODAK PROFESSIONAL Reversal Bath and Replenisher, Process E-6 | 25 gallons | 118 7889 |
| KODAK PROFESSIONAL Reversal Bath and Replenisher, Process E-6AR† | 100 gallons | 158 3566 |
| KODAK PROFESSIONAL Color Developer Replenisher, Process E-6AR† Part A Part B (Part A and Part B are needed to make a replenisher solution) | 25 gallons 25 gallons | 840 2224 100 7509 |
| KODAK PROFESSIONAL Color Developer Starter II, Process E-6 (1-pint concentrate) | 25 gallons | 185 8158 |
| KODAK PROFESSIONAL Pre-Bleach and Replenisher, Process E-6AR† | 50 gallons | 103 8660 |
| KODAK PROFESSIONAL Bleach Replenisher, Process E-6AR | 5 gallons | 196 5623 |
| KODAK PROFESSIONAL Bleach Starter, Process E-6 (½-gallon concentrate) | 25 gallons | 177 9792 |
| KODAK PROFESSIONAL Fixer and Replenisher, Process E-6 | 25 gallons | 123 7619 |
| KODAK PROFESSIONAL Fixer and Replenisher, Process E-6AR† | 50 gallons | 121 3677 |
| KODAK PROFESSIONAL Final Rinse and Replenisher, Process E-6 | 25 gallons | 101 1063 |
| KODAK PROFESSIONAL Final Rinse and Replenisher, Process E-6AR† | 500 gallons | 115 2156 |
| KODAK PROFESSIONAL Defoamer, Process E-6 (4-ounce bottle) | _ | 125 3566 |

^{*} Catalog numbers listed are for sizes available in the U.S. and Canada. Other regions may supply these chemicals in different sizes. For more information, contact Kodak in your country.

[†] E-6AR sizes are supplied in flexible plastic containers for use with processors with in-line dilution/blender systems or to prepare larger amounts of solutions for use with other processors.

Table 2-1
Processing Capacity of Process E-6AR Chemicals

| Process E-6AR Chemical | Mix Volume (gallons) | Replenish- ment Rate (mL/sq ft) | Amount of Film Processed per Cube (sq ft) |
|---------------------------|----------------------------|---------------------------------------|-------------------------------------------------------|
| First Developer | 25 | 200 | 475 |
| Reversal Bath | 100 | 100 | 3,780 |
| Color Developer | 25 | 200 | 475 |
| Pre-Bleach | 50 | 100 | 1,890 |
| Bleach | 5 | 20 | 950 |
| Fixer | 50 | 100 | 1,890 |
| Final Rinse | 320 | 100 | 12,110 |

CHEMICAL MIXING

Procedures

The liquid concentrates supplied by Kodak make it easy to prepare processing solutions for Process E-6. However, to avoid errors that can affect process quality and control, mix these solutions carefully according to the instructions supplied with the chemicals. This section gives you tips to help you use proper mixing procedures.

Prepare all solutions with water between 68 and 104°F (20 and 40°C). However, it is best to use water that is close to your processing temperature to avoid unnecessary delays waiting for the solution to come to temperature, and to avoid using a replenisher with a temperature that is drastically different from the temperature of your tank solution.

Note: For consistent results, always use water at the same temperature when preparing solutions.

For information on diagnosing mixing errors, see section 5, "Corrective Actions for Processing Solutions."

Water Quality

Water can have a significant effect on photographic quality. Generally, most municipal water supplies are satisfactory for mixing solutions and for use as wash water. Note that the quality of water supplies can vary seasonally. It is a good idea to have the quality of your water supply tested. Water used for washes should have less than 1,000 ppm of total dissolved solids and be free of color, suspended material, hardness, and heavy metals. The pH should be 7.0 to 8.5, and the water should not be highly buffered.

The water supplied by most municipalities is satisfactory for preparing processing solutions. Practical limits for common water impurities for photographic processing are listed in Table 2-2. if you use well water, be sure that you test it for the impurities listed in Table 2-2.

Poor plumbing materials (old, rusty pipes, or pipes made out of the wrong materials) can be a source of dirt and contamination. Check your plumbing and replace it if necessary.

Table 2-2
Practical Limits of Impurities for Water Used in Photographic Processing

| Impurity | Acceptable Limit of Range (ppm) |
|-------------------------------------|-----------------------------------------------------|
| Color, suspended material | None |
| Dissolved solids | 1,000 (for washes) 250 (for preparing solutions) |
| рН | 7.0 to 8.5 |
| Hardness, as CaCO ₃ | 40 (preferable) to 150 |
| Cooper, iron, manganese | 0.10 each |
| Chlorine, as free hypochlorous acid | 2 |
| Chloride | 100 |
| Bicarbonate | 150 |
| Sulfate | 200 |
| Sulfide | 0.10 |

Note: The values in Table 2-2 are from *Water Quality Criteria* by West (PSE V.9, pp. 398—413 [1965]).

Table 2-3 Characteristics of Process E-6 Chemical Concentrates

| Concentrate | Part | Normal Appearance | Comments |
|------------------------------------------------------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| First Developer First Developer Replenisher | | Clear, light yellow to light brown; mild odor | Chemicals darknen with age. Do not use solution that is dark brown or opaque or that contains precipitates. |
| Reversal Bath Reversal Bath and Replenisher | | Clear to slightly hazy, colorless to light yellow | Haze in concentrate is not unusual. Age has little effect on concentrate. |
| Color Developer Color Developer Replenisher | A A | Clear, pale yellow; mild sulfite odor; viscous | No change in appearance with age. Good keeping properties. |
| Color Developer Color Developer Replenisher | ВВ | Clear, pale yellow to light pink; odor of strong sulfurous acid gas (strong pungent odor) Caution: Smell carefully; smell the cap of the container of any photographic concentrate or solution—never smell concentrates or solutions directly. | Chemical darkens with age. Do not use solution that is dark brown/purple or that contains precipitates. |
| Pre-Bleach Pre-Bleach and Replenisher | | Clear, colorless; odor of organic sulfur | Solution does not change appearance with age. Organic sulfur odor will be absent if product is badly oxidized. |
| Bleach Bleach Replenisher | A A | Clear, dark red | |
| Bleach Bleach Starter | В | Clear, colorless | Extremely stable |
| Fixer Fixer and Replenisher | | Clear, colorless; very mild ammonia odor | Age or exposure to air may cause sulfurization (white or yellow sediment). |
| Final Rinse Final Rinse and Replenisher | | White, cloudy appearance | |
| First Developer Starter | | Colorless to yellow | Color darkens with age; usefulness is |
| Color Developer Starter | | Light red to dark red | not affected by solution color. |

Table 2-4 Mixing KODAK Chemicals, Process E-6

| Solution | Comments |
|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| First Developer First Developer Replenisher Color Developer Color Developer Replenisher | Start with water at 68 to 104°F (20 to 40°C); preferably near 100°F (37.8°C). Add the concentrate while stirring. Mix until the solution is uniform. Do not overmix. Excessive mixing oxidizes the developer and reduces storage life. For the first developer, it is very important that your mixing equipment is clean. Immediately after mixing, the color developer will appear deep blue or purple. The color will change to pale yellow after a short time. Mixing order is important for developers. Do not agitate so vigorously that air is mixed into the solution. When you prepare a tank solution from replenisher solution, be sure to add starter. |
| Reversal Bath Reversal Bath Replenisher Pre-Bleach Pre-Bleach and Replenisher | Start with water at 68 to 104°F (20 to 40°C); preferably near 100°F (37.8°C). The mixing order is not critical. The chemicals mix easily. Do not agitate so vigorously that air is mixed into the solution. |
| Bleach | Start with water at 68 to 104°F (20 to 40°C); preferably near 100°F (37.8°C). The mixing order is not critical. The chemicals mix easily. Agitation provides beneficial aeration; vigorous or lengthy agitation does not harm the bleach. The bleach and replenisher should appear dark red after mixing. When you prepare a tank solution from replenisher solution, be sure to add starter. |
| Fixer Fixer and Replenisher | Start with water at 68 to 104°F (20 to 40°C); preferably near 100°F (37.8°C). Use moderate agitation so that mixing is complete in approximately 5 minutes. Although fixers are not as sensitive to oxidation as developers, too much aeration will cause sulfurization. The solution will appear clear and colorless. |
| Final Rinse Final Rinse and Replenisher | Start with water at 68 to 104°F (20 to 40°C); preferably near 100°F (37.8°C). The mixing order is not critical. The chemicals mix easily. Although agitation is not critical, the final rinse will foam if the agitation is too vigorous. The solution should appear clear and colorless. |

Note: For consistent results, always use water at the same temperature when preparing solutions.

Contamination of Solutions

Keep your mixing, storage, and processing equipment clean; their cleanliness can affect the quality and performance of processing solutions. Be careful not to contaminate one solution with another. If possible, mix and use only one type of solution with one set of mixing equipment, and wash all equipment *thoroughly* before reusing it. The illustration which follows shows how to use your tanks to minimize contamination.

If you have one tank:

- 1 Reduce the chance of chemical contamination by using four separate mixing tanks. If you cannot use four separate tanks, do the following before mixing different batches of chemicals —
- ► Thoroughly rinse the tank and mixing equipment with room-temperature water
- ► Flush tubing and lines
- ► Thoroughly clean transfer pumps

If you have two tanks:

1

Use this tank for -

- ► black-and-white developers
- ▶ first developers for Processes E-6 and R-3
- ► color developers for Processes E-6 and R-3, and developers for Processes RA-4 and C-41

2

Use the second tank for-

- ▶ all stop baths and stabilizers
- reversal bath, pre-bleach, and final rinse for Process E-6
- all bleaches, fixers, and bleach-fixes
- ▶ final rinse for Process C-41

If you have three tanks:

1

Use this tank for -

- b block and white
- black-and-white developers
 first developers for Processes E-6 and R-3
- ► color developer for Process E-6 and developers for Processes RA-4 and C-41

2

Use the second tank for-

- ▶ color developer for Process R-3
- ▶ all stop baths and stabilizers
- reversal bath, pre-bleach, and final rinse for Process E-6
- ► final rinse for Process C-41

3

Use the third tank for—

▶ all bleaches, fixers, and

bleach-fixes

If you have four tanks:

1

Use this tank for-

- black-and-white developersfirst developers for Processes E-6
- ▶ first developers for Processes E-6 and R-3

2

Use the second tank for-

color developers for Processes
 E-6 and R-3, and developers
 for Processes RA-4 and C-41

3

Use the third tank for-

- ▶ stop baths and stabilizers
- ► reversal bath, pre-bleach, and final rinse for Process E-6
- ► final rinse for Process C-41

4

Use the fourth tank for-

all bleaches, fixers, and bleach-fixes

F009_9002EC

Using Your Mixing Tanks to Reduce Solution Contamination: Minute amounts of contaminants can seriously affect a processing solution. To reduce the possibility of contamination during mixing, keep different solutions from coming in contact with each other; use separate mixing tanks for each solution whenever possible,

If you don't have separate mix tanks, use the previous illustration as a guide for using your mixing tanks to reduce the possibility of contamination.

and clean all mixing equipment thoroughly after each use.

- If mixing only chemicals for **reversal processes**, you can use two mixing tanks: one for the first and color developers and one for all other solutions. However, we recommend using three mixing tanks: one for the developers, one for the bleach and fixer solutions, and one for all other solutions.
- If you mix chemicals for both **negative** and **reversal processes**, use four mixing tanks: one for the first developer and black-and-white developers, one for the color developers, one for the bleach and bleach-fix solutions, and one for all other solutions.

Checking Your Mixes with Specific-Gravity Measurements

You can easily check your mixes for mixing errors by measuring the specific gravity of the solution. For information on measuring specific gravity or for specific-gravity aims for Process E-6 solutions, see section 3, "Monitoring and Controlling Processing Solutions."

Storage of Solutions

For best results, **do not** use solutions that have been stored longer than the following times:

| Mixed Solution | Solutions in Tanks with Floating Covers* | | Partially Filled Bottles of |
|--------------------------------------------|---------------------------------------------|----------|-----------------------------|
| (Tank or Replenisher) | Unused | Used | Used or Unused Solutions |
| First Developer, Reversal Bath, Pre-Bleach | 8 weeks | 4 weeks | 1 week |
| Color Developer | 8 weeks | 4 weeks | 1 week |
| Bleach, Fixer, Final Rinse | 24 weeks | 24 weeks | 24 week |

^{*} Or full, tightly stoppered glass bottles.

Don't store chemicals at high temperatures. Use floating lids and dust covers on the replenisher storage tanks to reduce oxidation and dirt.

SAFE HANDLING OF PHOTOGRAPHIC CHEMICALS

- Handle photographic chemicals and processing solutions with care. See Safe Handling of Photographic Processing Chemicals, KODAK Publication No. J-98A.
- Packages of Kodak photographic chemicals have precautionary labels. Always read the labels and follow the instructions carefully. Also read the Material Safety Data Sheets (MSDSs) for the chemicals for precautionary information.¹
- Keep the darkroom, precessing area, and mixing room clean. Clean up spilled chemicals promptly.
- Use personal protective equipment, such as a waterproof apron and impervious gloves made of a material such as Neoprene or nitrile, when you handle solutions. Always wear goggles or safety glasses when you mix solutions from concentrates.
- Avoid skin contact with chemicals. Some photographic solutions, especially developers, can cause allergic skin reactions.
- Keep chemical solutions out of your mouth. Never start a siphoning action with your mouth. Do not eat or drink in a room where chemicals are mixed or used.
- Maintain proper ventilation in the mixing room and processing area.
- Store chemicals and processing solutions safely. Keep them out of the reach of children.
- Dispose of solutions safely. See *Dealing with Hazardous* Waste and Processing Effluents at Photographic Processing Facilities. KODAK Publication No. J-411.

^{1.}In the USA, you can obtain MSDSs for Kodak chemicals via the internet. You can download them from the Kodak web site: www.kodak.com/go/MSDS.

Outside of the USA, contact Kodak in your country. Please supply the catalog (CAT) numbers for the chemicals when you request MSDSs.