



◀ LENSES

FE 85 mm F1.4 GM

SEL85F14GM

★★★★★ (10) [Write a review](#)

♥ Favorite ➦ Share

Where To Buy

\$1,799.99¹

Overview

Specifications and Features

Reviews

Related Products

Support





Learn more about G Master Lenses





[G Master concept](#)

The ultimate portrait prime

The perfect 85 mm F1.4 portrait lens with outstanding
sharpness dissolving to magnificent bokeh.

FE 85 mm F1.4 GM compatibility

--	--	--	--

 A-mount 35 mm full frame	 A-mount APS- C	 E-mount 35 mm full frame	 E-mount APS- C
—	—	✓	✓

Follow the link below for lens/body compatibility details.

Limitations apply to AF operation when shooting movies with certain camera bodies.

[See details.](#)

Sony | Photo Gallery ›

Sony | Camera Channel ›

①

Ideal portrait

②

Superior

③


Natural

④

⑤

Lens Configuration

G Master series lenses take imaging and expression to previously unattainable levels with a stunning blend of extremely high resolution and softly dissolving background bokeh.



Extreme aspherical lens
(XA lens)
ED glass

MTF Chart


MTF (Modulation Transfer Function) describes how well a lens can reproduce fine details, measured as the degree of contrast achieved between finely spaced lines.

Max.
aperture

F8 aperture




Contrast (%)



Distance from
optical center of
lens (mm)

Contrast (%)



Distance from
optical center of
lens (mm)

Spatial frequency	R	T
10 line pairs/mm		
30 line pairs/mm		

R: Radial values

T: Tangential values

Lens Controls



1. Focusing ring / 2. Aperture ring / 3. Focus hold button /
4. Focus mode switch / 5. Mounting index / 6. Aperture
click switch / 7. Hood release button

SPECIFICATIONS AND FEATURES

Premium G Master Series Mid-range telephoto prime	MINIMUM FOCUS DISTANCE AF 2.79 ft, MF 2.62 ft
Bright F1.4 maximum aperture	MAXIMUM MAGNIFICATION RATIO (X) 0.12 x
Circular 11-blade aperture for beautiful defocus effects	FILTER DIAMETER (MM) 77 mm
Sony Nano AR Coating to eliminate flare and ghosting	WEIGHT 28.92 oz
Dust and moisture-resistant design	



Full Specifications

Features



Sony is committed not only to offering products, services and content that deliver exciting experiences but also to working towards our goal of a zero environmental footprint throughout our business activities.
[Learn More About Sony And The Environment](#)

Help us improve this page

Share your feedback ▼

REVIEWS & AWARDS

USERS SAY



4.8 based on 10 customer reviews

PICTURE QUALITY

Excellent

FEATURES

Excellent

DESIGN

Excellent

EASE OF USE

Excellent

[See all reviews](#)

[Write a review](#)

EXPERTS SAY

*"EUROPEAN
PROFESSIONAL
COMPACT
SYSTEM LENS
2016-2017"*

AWARDS



RELATED PRODUCTS

[See all accessories >](#)



α9 CMOS
sensor full
frame
mirrorless
digital camera
ILCE-9

~~\$4,499.99~~¹



α7R III 35 mm
full-frame
camera with
autofocus

~~\$3,199.99~~¹



Circular
Polarizing (PL)
Filter
VF-77CPAM

~~\$179.99~~¹



Multi-Coated
(MC)
Protective
Filter
VF-89MAM

~~\$89.99~~¹



Rear Lens Cap
for E-Mount
Cameras
ALC-R1EM

~~\$5.99~~¹



77 mm Front
Lens Cap
ALC-F77S

~~\$11.99~~¹

Accessories compatibility

Lenses compatibility

PRODUCT SUPPORT

[Support](#)

[Drivers and Software](#)

[Manuals and Warranty](#)

[Email Newsletter Sign](#)

[Up](#)

[Product Registration](#)

RECENTLY VIEWED ITEMS



Sonnar® T* FE
55 mm F1.8 ZA



FE 50mm F1.8



Planar T* FE
50mm F1.4 ZA



Distagon T* FE
35 mm F1.4 ZA



FE 28 mm F2



FE 85mm F1.8

Footnotes ▼

Where To Buy

See Authorized
Retailers

Sony Rewards

Join Now
Learn More
Manage Account

News & Info

Press Releases
About Sony
Product Support
Product Manuals
Product Registration
Newsletter sign up
Accessibility and
Usability

Other Sites

PlayStation
Sony Pictures
Sony Music
Sony Mobile
Crackle
Sony Square NYC

United States

For Professionals Careers Contact Us Company Info
Voluntary Recall



© 2017 SONY CORPORATION OF AMERICA

[TERMS AND CONDITIONS](#) [PRIVACY POLICY/YOUR CALIFORNIA PRIVACY RIGHTS](#)